




SPORTSCAR TIRE GUIDE

APR-24



WWW.RACEGOODYEAR.COM



B-SPEC

Material Number	D Number	Compound	P-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
242197	4850	RCMD	P205/50ZR15	6.5	23.1	8.8	8.1	18.7	2 - Grooves	\$199.00	Dry Control Tire
241796	4851	WCMD	P205/50R15	6.5	23.1	8.5	8.1	19.1	Gatorback	\$210.00	Wet Control Tire

Western Region
Carroll Shelby Enterprises, Inc.
Las Vegas, Nevada
Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
Carter-Maxwell, Inc.
Bethany, Oklahoma
Phone - 405.789.8253

Eastern Region
Shelby Carter Maxwell, Inc.
High Point, North Carolina
Phone - 336.884.0328

Canada
Fairchild Race Tire
Fenwick, Ontario
Phone - +1.905.641.8633
www.fcracetires.com



DOT RADIAL

Material Number	D Number	Compound	P-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
246462	4934	RCMD	P225/45ZR15	7.5	23.0	9.5	8.9	19.4	2 - Grooves	\$329.00	DOT R Compound
243939	4854	RCMD	P225/50ZR16	7.0	24.5	9.6	8.9	21.2	2 - Grooves	\$347.00	DOT R Compound
243883	4858	RCMD	P245/45ZR16	8.0	24.5	10.2	9.6	22.6	2 - Grooves	\$385.00	DOT R Compound
243886	4898	RCMD	P275/45ZR16	9.0	25.5	11.0	10.8	23.7	2 - Grooves	\$411.00	DOT R Compound
277142	5825	RCMD	P225/40ZR17	8.0	24	9.3	8.9	20.6	2 - Grooves	\$376.00	DOT R Compound
271145	5919	RCMD	P225/45ZR17	7.5	24.9	9.3	8.9	20.9	2 - Grooves	\$376.00	DOT R Compound
271357	5856	RCMD	P245/40ZR17	8.5	25.0	10.2	9.6	21.8	2 - Grooves	\$382.00	DOT R Compound
273556	5896	RCMD	P275/40ZR17	9.5	25.6	11.5	10.8	24.5	2 - Grooves	\$460.00	DOT R Compound
277144	5852	RCMD	P245/35ZR18	9.0	25.0	10.2	10	22.7	2 - Grooves	\$479.00	DOT R Compound
271143	5846	RCMD	P275/35ZR18	9.5	25.6	11.3	10.8	24.1	2 - Grooves	\$494.00	DOT R Compound
273996	5939	RCMD	P295/30ZR18	10.5	24.9	11.9	11.6	24	2 - Grooves	\$504.00	DOT R Compound
271355	5900	RCMD	P315/30ZR18	11	25.6	12.6	12.4	26.2	2 - Grooves	\$511.00	DOT R Compound
271356	5906	RCMD	P335/30ZR18	12	26.2	14.0	13.2	28.8	2 - Grooves	\$540.00	DOT R Compound
243882	4857	WCMD	P245/40R17	8.5	24.6	9.9	9.6	21.7	Gatorback	\$421.00	DOT W Compound
243884	4847	WCMD	P275/35R18	9.5	25.7	10.8	10.8	24.2	Gatorback	\$545.00	DOT W Compound
243840	4901	WCMD	P315/30R18	11	25.7	12.4	12.4	27.3	Gatorback	\$554.00	DOT W Compound

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633
www.fcracetires.com



SPORTSCAR - BIAS

Material Number	D Number	Comp.	Size	P-Metric	Euro-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
221579	1651	R430	23.5X10.5-16	265/35R16	595/265-16	11.0	23.3	11.8	10.1	18.0	Slick - G-19	\$539.00	GT / Production
221561	1570	R430	25.0X13.0-16	330/35R16	635/330-16	12.0	24.5	13.7	12.4	22.5	Slick - G-19	\$565.00	GT / Production
221562	1571	R430	27.0X14.0-16	355/40R16	690/355-16	14.0	26.6	15.9	13.7	26.5	Slick - G-19	\$602.00	GT / Production
247028	1512	R600	23.5X10.5-16	265/35R16	595/265-16	11.0	23.3	11.8	10.1	18.0	Slick - G-19	\$539.00	GT / Production
247026	1510	R600	25.0X13.0-16	330/35R16	635/330-16	12.0	24.5	13.7	12.4	22.5	Slick - G-19	\$565.00	GT / Production
247027	1511	R600	27.0X14.0-16	355/40R16	690/355-16	14.0	26.6	15.9	13.7	26.5	Slick - G-19	\$602.00	GT / Production
237143	2138	R250	20.0X8.0-13			6.0	20.2	9.3	8.2	14.3	Slick - G-19	\$312.00	Prod / Cantilever
236865	2140	R430	20.0X8.0-13			6.0	20.2	9.3	8.2	14.3	Slick - G-19	\$312.00	Prod / Cantilever
236866	2162	R430	20.0X9.5-13			7.0	20.1	10.5	9.5	16.0	Slick - G-19	\$318.00	Prod / Cantilever
236599	2185	R430	23.0X9.0-15	225/45R15	585/225-15	7.0	23.0	10.4	9.3	18.0	Slick - G-19	\$377.00	Prod / Cantilever

SPORTSCAR - RADIAL

Material Number	D Number	Comp.	Size	P-Metric	Euro-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
243865	4285	R410	23.0 x 9.5 - 15	245/50R15	245/580R15	7.0	23.1	9.9	9.3	18.5	Slick - G-19	\$431.00	GT3 / Prod
271141	4409	R500	27.5 X 12.0 - 15			10.0	27.0	9.8	10.0	25.0	Slick - G-19	\$376.00	TA2 / GT2
243866	4825	R245	25.5X14.0-16	355/35R16	655/355-16	12.0	25.5	14.1	14.0	25.0	Slick - G-19	\$650.00	TA1 / GT1
243867	4826	R245	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	14.8	28.5	Slick - G-19	\$695.00	TA1 / GT1
240035	4533	R430	25.5X14.0-16	355/35R16	655/355-16	12.0	25.5	14.1	14.0	25.0	Slick - G-19	\$638.00	TA1 / GT1
240036	4534	R430	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	14.8	28.5	Slick - G-19	\$683.00	TA1 / GT1
240508	6672	R085	25.5X14.0-16	355/35R16	655/355R16	12.0	25.5	14.1	14.0	30.0	Eagle F1 - CARVE	\$724.00	TA1 / GT1 - RAIN
240509	6673	R085	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	15.4	36.6	Eagle F1 - CARVE	\$765.00	TA1 / GT1 - RAIN
244547	4971	R245	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Slick - G-19	\$662.00	TA1 / GT1
244548	4972	R245	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Slick - G-19	\$682.00	TA1 / GT1
234480	4575	R310	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Slick - G-19	\$662.00	TA1 / GT1
232433	4536	R310	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Slick - G-19	\$682.00	TA1 / GT1
242373	4975	R085	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Eagle F1 - CARVE	\$724.00	TA1 / GT1 - RAIN
242374	4936	R085	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Eagle F1 - CARVE	\$765.00	TA1 / GT1 - RAIN

Western Region

Carroll Shelby Enterprises, Inc.
Las Vegas, Nevada
Phone - 702.430.5160
www.carrollshelbyent.com

Central Region

Carter-Maxwell, Inc.
Bethany, Oklahoma
Phone - 405.789.8253

Eastern Region

Shelby Carter Maxwell, Inc.
High Point, North Carolina
Phone - 336.884.0328

Canada

Fairchild Race Tire
Fenwick, Ontario
Phone - +1.905.641.8633
www.fcracetires.com



MODERN ERA RADIAL

Material Number	D Number	Compound	Size	Rim Width	Diameter MM	Width MM	Tread MM	Tread Design	MSRP	Description
241863	6051	Med -	200/580R15 GY SLICK PP 01B3	7.0	583	216	195	Slick	\$445.00	Revolution / Radical
241865	6054	Med -	265/605R16 GY SLICK PP 01B3	9.0	607	275	260	Slick	\$498.00	Revolution / Radical
247029	6067	Med -	305/660R18 GY SLICK PP 03A2	12.0	685	333	290	Slick	\$741.00	LMPC/DP Sprint
247030	6065	Med -	310/710R18 GY SLICK PP 03A2	13.0	706	354	308	Slick	\$747.00	LMPC/DP Sprint
241833	6053	Wet	200/580R15 GY CR9000 PP 01W3	7.0	583	216	195	Wet	\$459.00	Revolution / Radical - Rain Tire
241834	6056	Wet	265/605R16 GY CR9000 PP 01W3	9.0	607	275	260	Wet	\$515.00	Revolution / Radical - Rain Tire
242947	6059	Wet	305/660R18 GY WET-L PP 02W2	12.0	685	333	290	Wet	\$741.00	LMPC/DP Rain
242948	6060	Wet	310/710R18 GY WET-L PP 02W2	13.0	706	354	308	Wet	\$747.00	LMPC/DP Rain

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633
www.fcracetires.com



VINTAGE RADIAL

Material Number	D Number	Comp.	Size	P-Metric	Euro-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
244547	4971	R245	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Slick - G-19	\$662.00	TA1 / GT1
244548	4972	R245	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Slick - G-19	\$682.00	TA1 / GT1
234480	4575	R310	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Slick - G-19	\$662.00	TA1 / GT1
232433	4536	R310	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Slick - G-19	\$682.00	TA1 / GT1
242373	4975	R085	25.5X12.5-18	315/30R18	645/315-18	13.5	25.6	14.3	12.8	24.0	Eagle F1 - CARVE	\$724.00	TA1 / GT1 - RAIN
242374	4936	R085	28.5X14.5-18	365/35R18	715/365-18	14.5	28.5	16.0	14.5	30.0	Eagle F1 - CARVE	\$765.00	TA1 / GT1 - RAIN
243866	4825	R245	25.5X14.0-16	355/35R16	655/355-16	12.0	25.5	14.1	14.0	25.0	Slick - G-19	\$650.00	TA1 / GT1
243867	4826	R245	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	14.8	28.5	Slick - G-19	\$695.00	TA1 / GT1
240035	4533	R430	25.5X14.0-16	355/35R16	655/355-16	12.0	25.5	14.1	14.0	25.0	Slick - G-19	\$638.00	TA1 / GT1
240036	4534	R430	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	14.8	28.5	Slick - G-19	\$683.00	TA1 / GT1
240508	6672	R085	25.5X14.0-16	355/35R16	655/355R16	12.0	25.5	14.1	14.0	30.0	Eagle F1 - CARVE	\$724.00	TA1 / GT1 - RAIN
240509	6673	R085	28.5X14.5-16	365/45R16	735/365-16	13.0	28.5	15.4	15.4	36.6	Eagle F1 - CARVE	\$765.00	TA1 / GT1 - RAIN
219447	4480	R210	25.5X12.0-16	305/40R16		12.0	25.5	13.5	12.2	24.5	Slick - G-19	\$595.00	Early Porsche Rear
219471	4481	R210	25.5X14.0-16	365/35R16		14.0	25.4	15.2	14.0	25.0	Slick - G-19	\$617.00	IMSA Rear
219472	4482	R160	23.5X10.5-16	265/35R16		10.0	23.5	11.2	10.6	18.0	Slick - G-19	\$524.00	Early Porsche Front
219473	4483	R210	23.5X10.5-16	265/35R16		10.0	23.5	11.2	10.6	18.0	Slick - G-19	\$524.00	IMSA front

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633
www.fcracetires.com



VINTAGE - BIAS

VINATGE FORMULA

Material Number	D Number	Compound	Imperial	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
221592	2640	R160	20.0X9.5-13	10.0	20.3	10.9	9.1	11.9	Slick - G-19	\$332.00	Formula Atlantic
221813	2453	R160	23.0X13.0-13	14.0	23.0	16.1	12.3	19.3	Slick - G-19	\$414.00	Formula Atlantic
221728	2225	R250	23.0X10.5-15	10.0	23.4	11.8	10.4	16.9	Slick - G-19	\$520.00	Vintage INDY / Can-Am
221730	2226	R250	27.0X14.0-15	17.0	27.0	18.5	14.8	25.8	Slick - G-19	\$580.00	Vintage INDY / Can-Am

VINTAGE SPORTSCAR

Material Number	D Number	Compound	Size	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
237033	1664	R645	5.00-15	5.0	24.5	7.6	5.6	16.0	G-12A	\$414.00	Blue Streak
238711	2724	R645	6.00-15	8.0	25.5	10.6	8.4	17.0	G-7	\$290.00	Blue Streak
238696	2726	R645	600-15W	10.0	25.5	11.6	9.4	19.3	G-7	\$321.00	Blue Streak
238712	2728	R645	7.00-15	9.0	26.8	12.0	8.7	18.7	G-7	\$323.00	Blue Streak
238713	2729	R645	8.00-15	10.0	26.8	13.1	10.1	19.7	G-7	\$326.00	Blue Streak
230167	2546	R655	26.5X8.0-15	8.0	26.5	11.0	7.9	17.8	G-15M	\$390.00	Cobra
230168	2547	R655	26.5X10.0-15	10.0	27.0	12.9	10.2	22.3	G-15M	\$395.00	Cobra
221579	1651	R430	23.5X10.5-16	11.0	23.3	11.8	10.1	18.0	Slick - G-19	\$539.00	GT Sports
221561	1570	R430	25.0X13.0-16	12.0	24.5	13.7	12.4	22.5	Slick - G-19	\$565.00	GT Sports/ Trans Am / GTO
221562	1571	R430	27.0X14.0-16	14.0	26.6	15.9	13.7	26.5	Slick - G-19	\$602.00	Trans Am / GTO
247028	1512	R600	23.5X10.5-16	11.0	23.3	11.8	10.1	18.0	Slick - G-19	\$539.00	GT Sports
247026	1510	R600	25.0X13.0-16	12.0	24.5	13.7	12.4	22.5	Slick - G-19	\$565.00	GT Sports/ Trans Am / GTO
247027	1511	R600	27.0X14.0-16	14.0	26.6	15.9	13.7	26.5	Slick - G-19	\$602.00	Trans Am / GTO

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633



FORMULA - BIAS

Material Number	D#	Comp	Size	Rim Width	Dia	Sec.	Tread Width	Lbs.	Tread Design	MSRP	Description
234776	2756	R255	20.0X7.0-13	6.0-8.0	20.5	9.0	7.2	9.5	Slick - G-19	\$316.00	Formula Bias / S2000
234777	2757	R255	22.0X9.0-13	8.0-10.0	22.5	11.3	9.2	11.9	Slick - G-19	\$321.00	Formula Bias / S2000
228938	2659	R470	20.0X7.0-13	6.0-8.0	20.5	9.0	7.2	9.5	Slick - G-19	\$305.00	Bias - FM Spec
228985	2660	R470	22.0X9.0-13	8.0-10.0	22.5	11.3	9.2	11.9	Slick - G-19	\$346.00	Bias - FM Spec
235624	2769	R470	21.0X8.0-13	8	21.1	9.1	8.2	9.1	Slick - G-19	\$369.00	Formula
235625	2770	R470	22.0X11.0-13	11	22.2	11.5	11.1	11.8	Slick - G-19	\$395.00	Formula
226343	2661	R065	20.0X6.5-13	6.0-8.0	21.0	7.7	5.9	10.5	Rain - Eagle G-18	\$308.00	Formula - Rain
226351	2662	R065	22.0X9.0-13	8.0-10.0	22.4	11.1	8.8	13.0	Rain - Eagle G-18	\$362.00	Formula - Rain

FORMULA - RADIAL

Material Number	D#	Comp	Size	Rim Width	Dia.	Sec	Tread	Lbs	Tread Design	MSRP	Description
242221	4572	R160	21.5X8.0-13	9.0	21.6	9.8	8.2	13.1	Slick - G-19	\$442.00	Formula / P2
242222	4573	R160	22.5X11.0-13	11.0	22.6	12.2	10.6	16.5	Slick - G-19	\$468.00	Formula / P2
237146	4582	R255	21.5X8.0-13	9.0	21.6	9.8	8.2	13.1	Slick - G-19	\$442.00	Formula / P1
237147	4583	R255	22.5X11.0-13	11.0	22.6	12.2	10.6	16.5	Slick - G-19	\$468.00	Formula / P1
226363	4540	R465	21.5X8.0-13	9.0	21.6	9.8	8.2	13.1	Slick - G-19	\$434.00	Formula
226364	4541	R465	22.5X11.0-13	11.0	22.6	12.2	10.6	16.5	Slick - G-19	\$459.00	Formula
226361	4544	R065	21.5X8.0-13	9.0	21.6	9.8	8.2	13.1	Rain - Eagle F1	\$464.00	Formula - Rain
226340	4545	R065	22.5X11.0-13	11.0	22.6	12.2	10.6	16.5	Rain - Eagle F1	\$486.00	Formula - Rain

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633
www.fcrcetires.com



STOCK CAR

Material Number	D Number	Compound	P-Metric	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
218252	1439	Firm	27.0 X 11.0 - 15	9.5	27.0	13	11.2	22.5	G-19	\$310.00	Bias White Letter
233295	3062	Spec	27.0 X 11.0 - 15	9.5	27.0	13.5	11.8	23.0	G-19	\$310.00	SPEC - Left Side
233296	3063	Spec	27.0 X 11.0 - 15	9.5	27.0	13.5	11.8	23.0	G-19	\$310.00	SPEC - Right/Road Course
271141	4409	R500	27.5 X12.0 - 15	10.0	27.0	9.8	10.0	25.0	G-19	\$376.00	Classic Stockcar

Western Region
 Carroll Shelby Enterprises, Inc.
 Las Vegas, Nevada
 Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
 Carter-Maxwell, Inc.
 Bethany, Oklahoma
 Phone - 405.789.8253

Eastern Region
 Shelby Carter Maxwell, Inc.
 High Point, North Carolina
 Phone - 336.884.0328

Canada
 Fairchild Race Tire
 Fenwick, Ontario
 Phone - +1.905.641.8633
www.fcraetires.com



FSAE - BIAS

Material Number	D Number	Compound	Size	Rim Width	Average Diameter	Section Width	Tread Width	Weight Lbs.	Tread Design	MSRP	Description
253420	2773	FSAE	20.0X7.0-13	7.0	20.4	7.9	6.9	8.9	Slick - G-19	\$307.00	FSAE
262017	2703	R065	20.0X7.0-13	7.0	20.4	7.9	6.9	8.8	F1 Carved	\$314.00	F1 Carved Rain

Western Region
Carroll Shelby Enterprises, Inc.
Las Vegas, Nevada
Phone - 702.430.5160
www.carrollshelbyent.com

Central Region
Carter-Maxwell, Inc.
Bethany, Oklahoma
Phone - 405.789.8253


Eastern Region
Shelby Carter Maxwell, Inc.
High Point, North Carolina
Phone - 336.884.0328

Canada
Fairchild Race Tire
Fenwick, Ontario
Phone - +1.905.641.8633
www.fcracetires.com



DOT INSTALLATION GUIDE

FIRST HEAT CYCLE TIRE INSTALLATION:



Arrows denote the direction of the serial side (SS)