



# **2020 DRAG TIRE GUIDE**

**GOODYEAR**  
*Racing*

**[WWW.RACEGOODYEAR.COM](http://WWW.RACEGOODYEAR.COM)**

# ***DRAG TIRE COMPOUND DATA***

| <b>COMPOUND</b> | <b>PRIMARY APPLICATION VEHICLE</b>  |
|-----------------|---|
| D-8             | High grip compound for high horsepower radial tire applications           |
| D-2A            | High grip compound used for TAD and some bracket applications             |
| D-2G            | For Pro Mod and TAFC. High level of grip that can also sustain wheelspeed |
| D-2H            | For TF/FC and other high horsepower applications                          |
| D-1             | For use on dragsters and other lightweight cars                           |
| D-4B            | For Stock Eliminator and slightly more tractive than D-4A                 |
| D-4A            | Good for hot or slick track conditions                                    |
| D-4             | Excellent wear/longevity for heavy applications, +3,000 lbs.              |
| D-1A            | For use on Stock and Super Stock Radials                                  |
| D-6             | Works well on Dragsters and 1,500 - 2,500 lbs. cars                       |
| D-5             | Works well on Dragsters and 2,000 - 3,200 lbs. cars                       |
| D-7             | Limited application compound. Designed to eliminate shake                 |
| D-3             | For heavy manual and automatic cars                                       |
| HARD            | Frontrunners  |

Listed in order from softest to hardest

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag race compounds.

***WWW.RACEGOODYEAR.COM***



## TOP FUEL & FUNNY CAR

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|----------|
| 231233          | 2747     | D-2H     | 36.0x17.5-16 | 16        | 36.6             | 21.8          | 17.3        | 48.0        | 115.0         | \$ 917.00 | BL, LW   |

## PRO MOD, ALCOHOL, PRO STOCK

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|----------|
| 229258          | 3122     | D-2G     | 34.5x17.0-16 | 16        | 34.8             | 21.3          | 17.0        | 43.0        | 109.00        | \$ 556.00 |          |
| 233411          | 2433     | D-4A     | 33.5x17.0-16 | 16        | 33.4             | 21.5          | 17.7        | 43.0        | 105.00        | \$ 665.00 | BL, SS   |
| 230874          | 2912     |          | Shield       |           |                  |               |             |             |               | \$ 171.00 |          |

## FACTORY STOCK

|        |      |      |             |   |      |      |     |      |      |           |   |
|--------|------|------|-------------|---|------|------|-----|------|------|-----------|---|
| 240012 | 4902 | D-1A | 30.0x9.0-15 | 9 | 29.6 | 12.4 | 9.8 | 21.5 | 93.1 | \$ 299.00 | R |
| 240059 | 4904 | D-1A | 30.0x9.0-15 | 9 | 30.1 | 12.8 | 9.8 | 21.7 | 94.7 | \$ 299.00 | R |

### Western Region

Carrol Shelby Enterprises, Inc.  
Las Vegas, Nevada  
Phone - 702.430.5160  
www.carrolshelbyent.com

### Central Region

Carter-Maxwell, Inc.  
Bethany, Oklahoma  
Phone - 405.789.8253

### Eastern Region

Shelby Carter Maxwell, Inc.  
High Point, North Carolina  
Phone - 336.884.0328

### Canada

Fairchild Race Tire  
Fenwick, Ontario  
Phone - +1.905.641.8633  
www.fcracetires.com

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*

Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall

ET - Extended tread life, BL - Bead lock wheel required

**WWW.RACEGOODYEAR.COM**



# STOCK, SUPER STOCK

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments              |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|-----------------------|
| 210598          | 2790     | D-5      | 28.0x9.0-15  | 8         | 28.0             | 10.7          | 9.0         | 21.3        | 88.0          | \$ 219.00 |                       |
| 210599          | 2791     | D-5      | 28.0x10.0-15 | 10        | 28.0             | 12.0          | 10.0        | 23.1        | 88.0          | \$ 224.00 |                       |
| 210596          | 2796     | D-5      | 29.0x11.0-15 | 10        | 29.0             | 12.8          | 10.9        | 25.1        | 91.0          | \$ 260.00 |                       |
| 210597          | 2797     | D-5      | 29.0x12.0-15 | 11        | 29.0             | 13.9          | 11.8        | 25.1        | 91.0          | \$ 267.00 |                       |
| 219253          | 4915     | D-8      | 30.0x10.5-15 | 10        | 29.6             | 13.3          | 10.5        | 23.5        | 93.0          | \$ 292.00 | R                     |
| 23623           | 1909     | D-5      | 30.0x9.0-15  | 8         | 30.7             | 12.4          | 9.0         | 25.0        | 96.5          | \$ 288.00 |                       |
| 190161          | 2018     | D-5      | 31.0x13.0-15 | 12        | 30.6             | 15.6          | 12.8        | 33.4        | 96.0          | \$ 372.00 | MS                    |
| 219043          | 4909     | D-8      | 31.0x13.5-15 | 14        | 31.7             | 16.9          | 13.8        | 33.0        | 99.5          | \$ 345.00 | R                     |
| 190162          | 2019     | D-5      | 31.0x14.0-15 | 12        | 31.0             | 16.2          | 14.0        | 35.8        | 97.0          | \$ 376.00 | MS                    |
| 237741          | 4917     | D-8      | 31.0x16.0-15 | 15        | 31.0             | 19.4          | 16.3        | 37.3        | 101.0         | \$ 396.00 | R                     |
| 23556           | 1984     | D-5      | 32.0x14.0-15 | 14        | 32.4             | 17.0          | 14.4        | 39.3        | 101.0         | \$ 368.00 | NEW 2020 PRICING      |
| 23540           | 1672     | D-5      | 32.0x14.5-15 | 14        | 32.8             | 17.7          | 14.8        | 39.4        | 103.0         | \$ 360.00 | NEW 2020 PRICING - MS |
| 190163          | 2070     | D-6      | 33.0x14.5-15 | 14        | 32.8             | 18.9          | 14.9        | 34.1        | 104.0         | \$ 397.00 |                       |
| 236033          | 4892     | D-1A     | 30.0x9.0-15  | 9         | 29.5             | 11.8          | 9.1         | 21.1        | 92.5          | \$ 291.00 | R, LW                 |
| 236035          | 4894     | D-1A     | 30.0x9.0-15  | 9         | 30.0             | 12.0          | 9.1         | 21.4        | 94.0          | \$ 291.00 | R, LW                 |

Western Region  
 Carrol Shelby Enterprises, Inc.  
 Las Vegas, Nevada  
 Phone - 702.430.5160  
 www.carrolshelbyent.com

Central Region  
 Carter-Maxwell, Inc.  
 Bethany, Oklahoma  
 Phone - 405.789.8253

Eastern Region  
 Shelby Carter Maxwell, Inc.  
 High Point, North Carolina  
 Phone - 336.884.0328

Canada  
 Fairchild Race Tire  
 Fenwick, Ontario  
 Phone - +1.905.641.8633  
 www.fcracetires.com

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*

Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall

ET - Extended tread life, BL - Bead lock wheel required

**WWW.RACEGOODYEAR.COM**



# SUPER GAS

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments                  |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|---------------------------|
| 23556           | 1984     | D-5      | 32.0x14.0-15 | 14        | 32.4             | 17.0          | 14.4        | 39.3        | 101           | \$ 368.00 | NEW 2020 PRICING          |
| 23540           | 1672     | D-5      | 32.0x14.5-15 | 14        | 32.8             | 17.7          | 14.8        | 39.4        | 103           | \$ 360.00 | NEW 2020 PRICING - MS     |
| 23558           | 1408     | D-5      | 32.0x16.0-15 | 15        | 32.4             | 18.4          | 16.0        | 39.6        | 102           | \$ 380.00 | NEW 2020 PRICING - MS     |
| 190102          | 2051     | D-4A     | 32.5x17.0-15 | 15        | 32.5             | 20.8          | 17.2        | 41.1        | 100           | \$ 462.00 |                           |
| 192212          | 2078     | D-5      | 33.0x15.0-15 | 14        | 33.2             | 17.5          | 15.0        | 40.6        | 104           | \$ 405.00 | MS                        |
| 190167          | 2052     | D-6      | 33.0x16.0-15 | 15        | 32.8             | 19.6          | 16.1        | 38.0        | 102           | \$ 380.00 | NEW 2020 PRICING          |
| 191202          | 2053     | D-4A     | 33.0x17.0-15 | 15        | 32.8             | 20.6          | 17.3        | 42.9        | 102           | \$ 462.00 | SS                        |
| 233411          | 2433     | D-4A     | 33.5x17.0-16 | 16        | 33.4             | 21.5          | 17.7        | 43.0        | 105           | \$ 665.00 | BL, SS                    |
| 228522          | 2211     | D-4A     | 33.5x17.0-16 | 16        | 33.4             | 21.2          | 17.5        | 42.5        | 105           | \$ 460.00 | BL, SS                    |
| 227639          | 2775     | D-2A     | 33.5x17.0-16 | 16        | 33.5             | 21.1          | 16.8        | 40.3        | 105           | \$ 420.00 | NEW 2020 PRICING - BL     |
| 235137          | 2776     | D-2A     | 33.5x17.0-16 | 16        | 33.5             | 21.1          | 16.8        | 45.1        | 105           | \$ 421.00 | NEW 2020 PRICING - BL, SS |

## TOP DRAGSTER, TOP SPORTSMAN

|        |      |      |              |    |      |      |      |      |     |           |                           |
|--------|------|------|--------------|----|------|------|------|------|-----|-----------|---------------------------|
| 239367 | 3111 | D-2A | 35.0x15.0-16 | 16 | 35   | 18.8 | 14.8 | 43.5 | 110 | \$ 461.00 |                           |
| 235137 | 2776 | D-2A | 33.5x17.0-16 | 16 | 33.5 | 21.1 | 16.8 | 45.1 | 105 | \$ 421.00 | NEW 2020 PRICING - BL, SS |

Western Region  
 Carrol Shelby Enterprises, Inc.  
 Las Vegas, Nevada  
 Phone - 702.430.5160  
[www.carrolshelbyent.com](http://www.carrolshelbyent.com)

Central Region  
 Carter-Maxwell, Inc.  
 Bethany, Oklahoma  
 Phone - 405.789.8253

Eastern Region  
 Shelby Carter Maxwell, Inc.  
 High Point, North Carolina  
 Phone - 336.884.0328

Canada  
 Fairchild Race Tire  
 Fenwick, Ontario  
 Phone - +1.905.641.8633  
[www.fcrcetires.com](http://www.fcrcetires.com)

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*

Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall

ET - Extended tread life, BL - Bead lock - wheel required

**WWW.RACEGOODYEAR.COM**





# FRONTRUNNER

| Material Number | D Number | Compound | Size        | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments              |
|-----------------|----------|----------|-------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|-----------------------|
| 177193          | 1445     | HARD     | 22.0x2.5-17 | 2.5       | 22.0             | 2.5           | 1.5         | 4.5         | 69.9          | \$ 180.00 | NEW 2020 PRICING - ET |
| 215560          | 2904     | HARD     | 22.0x4.0-17 | 2.5       | 22.9             | 3.4           | 3.1         | 5.2         | 72            | \$ 272.00 |                       |
| 240982          | 2989     | HARD     | 23.0x5.0-15 | 4         | 23.0             | 6.8           | 5.0         | 12.2        | 72.7          | \$ 240.00 | NEW FOR 2020          |
| 189891          | 1961     | HARD     | 23.0x5.0-15 | 4         | 23.0             | 6.8           | 5.0         | 12.7        | 72.7          | \$ 199.00 | NEW 2020 PRICING      |
| 189955          | 1962     | HARD     | 24.0x5.0-15 | 4         | 24.0             | 6.8           | 5.0         | 11.3        | 75.8          | \$ 189.00 | NEW 2020 PRICING      |
| 215499          | 2991     | HARD     | 25.0x4.5-15 | 4         | 25.0             | 6.5           | 4.5         | 11.6        | 78.5          | \$ 207.00 | LW                    |
| 190130          | 1964     | HARD     | 26.0x4.5-15 | 4         | 26.0             | 6.3           | 4.5         | 10.8        | 81.2          | \$ 194.00 | NEW 2020 PRICING      |
| 197495          | 1965     | HARD     | 27.0x4.5-15 | 4         | 27.0             | 7.9           | 4.5         | 13.5        | 84.8          | \$ 195.00 | NEW 2020 PRICING      |
| 189822          | 1966     | HARD     | 28.0x4.5-15 | 4         | 28.0             | 7.7           | 5.1         | 12.4        | 89.1          | \$ 196.00 | NEW 2020 PRICING      |

Western Region  
 Carrol Shelby Enterprises, Inc.  
 Las Vegas, Nevada  
 Phone - 702.430.5160  
[www.carrolshelbyent.com](http://www.carrolshelbyent.com)

Central Region  
 Carter-Maxwell, Inc.  
 Bethany, Oklahoma  
 Phone - 405.789.8253

Eastern Region  
 Shelby Carter Maxwell, Inc.  
 High Point, North Carolina  
 Phone - 336.884.0328

Canada  
 Fairchild Race Tire  
 Fenwick, Ontario  
 Phone - +1.905.641.8633  
[www.fcrcetires.com](http://www.fcrcetires.com)

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*  
 Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall  
 ET - Extended tread life, BL - Bead lock wheel required



# COMP ELIMINATOR, SUPER COMP

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments             |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|----------------------|
| 23653           | 2976     | D-2A     | 26.0x8.0-15  | 9         | 26.4             | 10.5          | 8.9         | 16.0        | 83            | \$ 200.00 | NEW FOR 2020 - LW    |
| 206637          | 2585     | D-3      | 31.0x12.0-15 | 12        | 30.8             | 15.2          | 12.0        | 22.6        | 96.5          | \$ 380.00 |                      |
| 219042          | 4911     | D-8      | 32.0x14.0-15 | 14        | 32.1             | 17.2          | 13.8        | 32.4        | 101           | \$ 374.00 | R                    |
| 193992          | 1911     | D-1      | 32.0x14.5-15 | 14        | 32.2             | 17.7          | 15.0        | 34.1        | 101           | \$ 399.00 |                      |
| 190102          | 2051     | D-4A     | 32.5x17.0-15 | 15        | 32.5             | 20.8          | 17.2        | 41.1        | 100           | \$ 462.00 | LW, SS               |
| 23654           | 1288     | D-7      | 33.0x12.0-15 | 12        | 32.4             | 16.5          | 12.3        | 28.8        | 102           | \$ 392.00 | HG                   |
| 190163          | 2070     | D-6      | 33.0x14.5-15 | 14        | 32.8             | 18.9          | 14.9        | 34.1        | 104           | \$ 397.00 |                      |
| 215174          | 2533     | D-2A     | 33.0x16.0-15 | 15        | 32.4             | 19.9          | 16.3        | 39.6        | 106           | \$ 377.00 |                      |
| 190167          | 2052     | D-6      | 33.0x16.0-15 | 15        | 32.8             | 19.6          | 16.1        | 38.0        | 102           | \$ 414.00 |                      |
| 215232          | 2534     | D-2A     | 33.0x17.0-15 | 15        | 32.4             | 20.5          | 17.4        | 39.5        | 104           | \$ 389.00 |                      |
| 227639          | 2775     | D-2A     | 33.5x17.0-16 | 16        | 33.5             | 21.1          | 16.8        | 40.3        | 105           | \$ 420.00 | NEW 2020 PRICING-BL  |
| 235137          | 2776     | D-2A     | 33.5x17.0-16 | 16        | 33.5             | 21.1          | 16.8        | 45.1        | 105           | \$ 421.00 | NEW PRICING - BL, SS |
| 239367          | 3111     | D-2A     | 35.0x15.0-16 | 16        | 35               | 18.8          | 14.8        | 43.5        | 110           | \$ 461.00 |                      |

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*

Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall

ET - Extended tread life, BL - Bead lock wheel required

**WWW.RACEGOODYEAR.COM**



# LANDSPEED

| Material Number | D Number | Compound | Size         | Rim Width | Average Diameter | Section Width | Tread Width | Weight Lbs. | Average Circ. | MSRP      | Comments          |
|-----------------|----------|----------|--------------|-----------|------------------|---------------|-------------|-------------|---------------|-----------|-------------------|
| 215560          | 2904     | HARD     | 22.0x4.0-17  | 2.5       | 22.9             | 3.4           | 3.1         | 5.2         | 72            | \$ 272.00 |                   |
| 234517          | 2952     | HARD     | 21.0x5.0-15  | 4.5       | 21.3             | 5.4           | 4.1         | 10.0        | 68.5          | \$ 638.00 |                   |
| 234515          | 2953     | HARD     | 23.0x5.0-15  | 4.5       | 23.1             | 7.0           | 5.0         | 12.0        | 74.2          | \$ 662.00 |                   |
| 234514          | 2954     | HARD     | 25.0x4.5-15  | 4.5       | 24.8             | 6.7           | 4.0         | 12.0        | 79.0          | \$ 668.00 |                   |
| 234516          | 2956     | HARD     | 28.0x4.5-15  | 4.5       | 27.8             | 7.7           | 4.5         | 13.0        | 88.4          | \$ 697.00 |                   |
| 225063          | 2934     | HARD     | 28.0x10.0-15 | 9.5       | 28.3             | 13.6          | 10.0        | 22.0        | 89.0          | \$ 235.00 |                   |
| 239857          | 2860     | HARD     | 24.5x7.5-16  | 5.5       | 24.5             | 7.4           | 5.5         | 14.2        | 78.5          | \$ 709.00 | NEW FOR 2020 - LW |
| 233188          | 2870     | HARD     | 30.0x9.0-18  | 6.5       | 30.0             | 8.5           | 3.0         | 16.5        | 93.0          | \$ 740.00 | LW                |

| D Number | Min. PSI | Max Load  | Max Speed |
|----------|----------|-----------|-----------|
| 2904     | 90 psi   | 1200 lbs. | 300 mph   |
| 2952     | 50 psi   | 1200 lbs. | 300 mph   |
| 2953     | 70 psi   | 1700 lbs. | 300 mph   |
| 2954     | 70 psi   | 1700 lbs. | 300 mph   |
| 2956     | 70 psi   | 1700 lbs. | 300 mph   |
| 2934     | 70 psi   | 1700 lbs. | 300 mph   |
| 2860     | 70 psi   | 2300 lbs. | 320 mph   |
| 2870     | 70 psi   | 2300 lbs. | 320 mph   |

**Western Region**  
 Carrol Shelby Enterprises, Inc.  
 Las Vegas, Nevada  
 Phone - 702.430.5160  
[www.carrolshelbyent.com](http://www.carrolshelbyent.com)

**Central Region**  
 Carter-Maxwell, Inc.  
 Bethany, Oklahoma  
 Phone - 405.789.8253

**Eastern Region**  
 Shelby Carter Maxwell, Inc.  
 High Point, North Carolina  
 Phone - 336.884.0328

**Canada**  
 Fairchild Race Tire  
 Fenwick, Ontario  
 Phone - +1.905.641.8633  
[www.fcrcacetiress.com](http://www.fcrcacetiress.com)

\*\*\* Rim width tolerance is plus or minus one inch from specified Rim Width \*\*\*

Comments: R - Radial, HG - High Growth, LW - Lightweight, MS - Medium stiff sidewall, SS - Stiff sidewall

ET - Extended tread life, BL - Bead lock wheel required

**WWW.RACEGOODYEAR.COM**