

Eagle Asphalt Short Track Special

G-19 Eagle, G-24 Eagle

- Tread design for responsive steering
- Consistent, repeatable performance for improved cost efficiency
- Compounds enhance tread life



G19

G24

Product Code	Size	Matl. No.	———— Soft to Harder ———>					Rim Width	Overall Diam	Circumference	Section Width	Tread Width	Weight
			A200	A300	A400	A500	Special						

ASPHALT G-19

			A200	A300	A400	A500	Special						
803-325-159	23.5x9.5-13	214911	2818					9	23.5	74.0	12.0	9.5	15.0
803-240-159	26.5x8.0-15	208840			2672			8	26.5	83.0	11.0	8.0	20.0
803-241-159	27.0x8.0-15	209161			2882			8	27.0	85.0	11.0	8.0	20.0
803-335-159	27.0x8.0-15	217681				2884		8	27.0	85.0	11.0	8.0	20.0
803-251-159	26.5x10.0-15	212681			2772			10.0	26.5	84.0	13.0	10.0	22.0
803-245-159	27.0x10.0-15	209898			2902			10.0	27.0	86.0	13.0	10.0	23.0
803-247-159	27.0x10.0-15	213322				2925		10.0	27.0	86.0	13.0	10.0	23.0
803-282-159	27.0x10.0-15	214304					2930	10.0	27.0	86.0	13.0	10.0	23.0

ASPHALT G-24

			A200	A300	A400								
803-407-159	22.0x7.0-13	208574			2714			7	22.5	70.0	9.0	7.0	16.0
803-252-159	23.0x7.0-13	213412			2716			7	23.0	72.0	9.0	7.0	16.5
803-893-159	22.0x8.0-13	208772		2832				8	22.5	70.0	10.0	8.0	17.0

803-673-159	23.0x8.0-13	214382	2636		8	23.0	72.0	11.0	8.0	17.0
803-675-159	23.0x8.0-13	209241		2833	8	23.0	72.0	11.0	8.0	17.0
803-330-159	27.0x7.5-15	216557		2637	6	26.5	84.0	9.2	6.5	15.5
803-235-159	26.5x8.0-15	208500		2862	8	26.5	82.0	11.0	8.0	20.0
803-253-159	26.5x8.0-15	208671		2864	8	26.5	82.0	11.0	8.0	20.0
803-232-159	27.0x8.0-15	208499		2863	8	27.0	84.5	11.5	8.0	20.0
803-233-159	27.0x8.0-15	208331		2865	8	27.0	84.5	11.5	8.0	20.0
803-256-159	26.5x10.0-15	208841		2677	10	26.5	83.0	13.0	10.0	23.0
803-258-159	27.0x10.0-15	209152		2878	10	27.0	85.0	13.0	10.0	24.0

ASPHALT G-24

Special

803-326-159	195/60-15	217190		2810	6/7	23.7	74.5	8.0	6.1	12.0
-------------	-----------	--------	--	------	-----	------	------	-----	-----	------

Eagle Dirt Short Track Special

G-31 Eagle, G-23 Eagle, G-32 Eagle

- Footprint design promotes even treadwear
- Notched tread elements reduce element feathering
- Contains compounds tailored for dirt applications
- Sidewall design helps resist punctures



G-31

G-23

G-32

Product Code	Size	Matl. No.	———— Soft to Harder ———>				Rim Width	Overall Diam	Circumference	Section Width	Tread Width	Weight
DIRT G-31			G40	G45	G50	G70						
809-737-846 Matl. No.	28.0x11.0-15		2325 197645	2377 198013	2326 197646		14	28.0	88.0	16.0	12.5	21.0
809-174-846 Matl. No.	29.0x11.0-15		2328 197642	2378 198012	2329 197643	2457 204091	14	29.0	92.0	16.0	12.5	21.0
DIRT G-23			G40	G45	G50	G65						
809-417-842 Matl. No.	27.5x11.0-15		2485 199102	2486 199103			14	27.5	86.0	16.0	12.5	20.5
809-416-842	27.0x11.0-15	198239	2445				11	27.0	84.0	13.5	11.5	20.0
809-418-842	27.5x11.0-15	199107	2449				11	27.5	86.0	13.5	11.5	20.0
809-450-842	22.0x8.0-13	214305		2820			8	22.0	72.0	10.0	8.5	16.0
809-451-842	22.0x8.0-13	214306			2856		8	22.0	72.0	10.0	8.5	16.0
809-452-842	23.0x8.0-13	214307		2821			8	23.0	74.0	10.0	8.5	16.5
809-453-842	23.0x8.0-13	214308			2857		8	23.0	74.0	10.0	8.5	16.5

DIRT G-32

			G40	G45	G50	G65						
809-263-848	27.0x8.0-15	217194	2940				8	27.0	84.0	10.7	9.0	19.0
809-272-848	27.0x8.0-15	213747		2945			8	27.0	84.0	10.7	9.0	19.0
809-269-848	27.0x8.0-15	214819			2950		8	27.0	84.0	10.7	9.0	19.0
809-270-848	27.0x8.0-15	213746				2965	8	27.0	84.0	10.7	9.0	19.0
809-265-848	27.5x8.0-15	217195	2941				8	27.5	87.0	10.7	9.0	19.5
809-279-848	27.5x8.0-15	213749		2946			8	27.5	87.0	10.7	9.0	19.5
809-315-848	27.5x8.0-15	214820			2951		8	27.5	87.0	10.7	9.0	19.5
809-273-848	27.5x8.0-15	213748				2966	8	27.5	87.0	10.7	9.0	19.5